

1 Identifier: '6F3A'		2 Structure: Linear fixed		3 Optional	
Record length: X+14 bytes			Update activity		
6	Access conditions:		4	5	10
	READ	CHV1			
	UPDATE	CHV1			
	INVALIDATE	CHV2			
REHABILITATE		CHV2	9	8	
11		10			
Bytes		Description			
7a		M/O			
7b		Length			
7c		1 to X			
7d		Alpha Identifier			
7e		O			
7f		X bytes			
X + 1		Length of BCD number/SSC content			
X + 2		TON and NPI			
X+3 to X+12		Dialling Number/SSC string			
X + 13		Capability/Configuration Identifier			
X + 14		Extension 1 Record Identifier			

FIG. 1

1 Identifier: '6F3A'		2 Structure: Linear fixed		3 Optional			
Record length: X+14 bytes			Update activity				
6	Access conditions:		4	5	10		
	READ						
	UPDATE						
	INVALIDATE						
REHABILITATE		CHV1	CHV1	CHV2	CHV2		
11		10		9		8	
Bytes		Description		M/O	Length		
7a 1 to X		John Smith, - time 5, 12 th Dec 2002		O	X bytes		
7b X + 1		Length of BCD number/SSC content		M	1 byte		
7c X + 2		TON and NPI		M	1 byte		
7d X+3 to X+12		+ 358 09 123456/#11 040 789012		M	10 bytes		
7e X + 13		Capability/Configuration Identifier		M	1 byte		
7f X + 14		Extension 1 Record Identifier		M	1 byte		

FIG. 2




FIG. 3




FIG. 4




FIG. 5